Catalog

LEX L30 Accessories

Mission-critical smartphone



MOTOROLA SOLUTIONS

Remote speaker microphones (RSM)

Image	Name	Description	Part Code
	IMPRES™ RM780 large RSM with a loud and clear speaker	Windporting, IP68, 3.5mm audio jack, volume control, two programmable, one emergency buttons and a low profile swivel clip.	PMMN4128
	IMPRES™ RM730 small RSM with a loud and clear speaker	Windporting, IP68, 3.5mm audio jack, emergency button and a low profile swivel clip.	PMMN4131
	IMPRES™ RM760 large RSM with a loud and clear speaker	Windporting, IP68, 3.5mm audio jack, and a low profile swivel clip.	PMMN4140
	WM500 bluetooth RSM with windporting	IP67, 3.5mm audio jack, up to 40 hours of battery life, emergency and programmable buttons, lightweight and thin-profile design.	PMMN4127

Compatible earpieces

Image	Name	Description	Part Code
	Translucent tube, loud audio	RX only earpiece for use with PMMN4128, PMMN4131 and PMMN4140.	PMLN8120
	Translucent tube and rubber eartip	3.5mm RX only earpiece Compatible with WM500 PMMN4127.	PMLN7560

Add-on accessories and replacement parts

Image	Name	Description	Part Code
	Replacement coil cord	Kit for PMMN4128, PMMN4131, and PMMN4140.	PMKN4232
	Low profile swivel clip	For PMMN4128, PMMN4131, and PMMN4140.	PMLN8121
	Replacement dust cover	10/pack dust cover For PMMN4128 and PMMN4140.	PMLN8122
	Replacement dust cover	10/pack dust cover For PMMN4131.	PMLN8253
	Peter Jones klick fast stud (Only in EMEA)	For RM730, RM760, and RM780 *Peter Jones klick fast dock is required to purchase separately.	PMLN8475

Remote speaker microphone with large front PTT

Image	Description	Part Code
	NS750 IMPRES™ omni-directional RSM with large front PTT and side PTT The NS750 IMPRES™ remote speaker microphone (RSM) is built for frontline workers in tough, loud, mission critical environments. This RSM has an additional advantage of an omnidirectional microphone that is able to capture noise from every direction.	
	Long cable	PMMN4150
	Short cable	PMMN4151
	Black, long cable	PMMN4150_BLK
	Black, short cable	PMMN4151_BLK

Secondary audio accessories

Image	Name	Description	Part Code
	SAVOX HC-1 Helmet-COM®	Bone-mic/single speaker headset with Nexus 4-pole quick release.	GMMN4585
	SAVOX HC-2 Helmet-COM®	Bone-mic/dual speaker headset with Nexus 4-pole quick release.	GMMN4584
	Voice tube with 3.5mm jack	Only compatible with NEXUS RSM twist and lock 3.5 socket.	PMLN7188

Add-on accessories and replacement parts

Image	Name	Description	Part Code
	Colour identification labels for NS750 10 pieces per pack.	Green Blue Red Yellow Silver Orange	PMLN8464 PMLN8465 PMLN8466 PMLN8468 PMLN8469 PMLN8523
	Replacement swivel clip	Description: For NS750 PMMN4150, PMMN4151, PMMN4150_BLK, PMMN4151_BLK.	0104068J78

Wireless bluetooth control pod

Image	Name	Description	Part Code
	WP300 WIRELESS BLUETOOTH PTT POD	Complete kit includes: WP300 Wireless Bluetooth PTT POD, Surveillance Earpiece with Translucent Tube, Swivel Clip Micro-USB Charging Cable, and WP300 User Guide WP300 Leaflet	PMLN8401
		Button only Kit includes: Swivel Clip for Wireless Push to Talk POD Micro-USB Charging WP300 User Guide WP300 Leaflet	PMLN8298

Earpieces compatible with WP300

Image	Name	Description	Part Code
	Swivel Earhook with Removable Eartip Earpiece	• In-line PTT and mic • Can wear with and without eartip • Swivel soft rubber earhook • Twist & lock single pin connector	Long cord PMLN8077 Short cord PMLN8125
	Surveillance earpiece	• In-line PTT and mic • Support wideband audio • Replaceable translucent acoustic tube	PMLN8190
	Vehicle attachment	• Velcro Strap, or Cable Ties option included • For use with car/truck/bus/motorcycle as remote PTT	PMLN8332
	Swivel clip	Swivel clip	PMLN6246

Wireless PTT EP910e

Image	Name	Description	Part Code
	EP910E Bluetooth Earpiece with PTT	Bluetooth Earpiece with advanced environmental noise cancellation and voice-isolating microphones.	PMLN8740

Audio accessories

Image	Name	Description	Part Code
	IMPRES™ 1-wire surveillance kit with loud audio translucent tube	With a replaceable quick disconnect clear acoustic tube and inline PTT and microphone.	PMLN8082
	IMPRES™ 2-wire surveillance kit with loud audio translucent tube	With a replaceable quick disconnect tube and a module with PTT, microphone, and a programmable button.	PMLN8083
	IMPRES™ 3-wire surveillance kit with loud audio translucent tube	With a replaceable quick disconnect clear acoustic tube, a module with PTT, and a dedicated microphone module.	PMLN8084
	IMPRES™ 2-wire swivel ear hook with removable ear tip, loud audio	Comfortable ear hook style worn over the ear with removable eartips.	PMLN8295
	IMPRES™ 1-wire swivel ear bud with removable ear hook, loud audio	With a removable earhook and inline PTT with a microphone.	PMLN8337
	Receive Only, Adjustable D-Style Earpiece	Low-profile, receive-only D-style earpiece with a short cord for comfortable listening.	PMLN8247
	Receive Only, Loud Audio, Surveillance Kit	1-wire receive-only surveillance kit with loud, clear audio delivered via a comfortable translucent tube and short cord.	PMLN8749
	Receive Only, Loud Audio, Adjustable G-hanger Earpiece with Eartip	Receive-only earpiece engineered for extra loud and clear audio, featuring a adjustable G-hanger and secure eartip.	PMLN8748

Please reference the Tetra accessories catalogue for earpiece replacement part details.

Headsets (direct radio connection)

Image	Name	Description	Part Code
	Behind-the-head headset	With flexible boom microphone and PTT, noise reduction rating (NRR) 24dB	PMLN8085
	Over-the-head headset	With flexible boom microphone and PTT, noise reduction rating (NRR) 24dB.	PMLN8086
	CH-3 series over-the-head headset with NEXUS connector	Dual earcup headset with boom mic. Noise reduction rating (NRR) 26dB. SAA for NEXUS RSM (NS750)	PMLN8265
	CH-3 series neckband headset with NEXUS connector.	Dual earcup headset with boom mic. Noise reduction rating (NRR) 24dB. SAA for NEXUS RSM (NS750)	PMLN8266
	CH-3 series hard hat attached with NEXUS connector (hat not included).	Dual earcup headset with boom mic, Noise reduction rating (NRR) 24dB. SAA for NEXUS RSM (NS750).	PMLN8267
	PTT NEXUS adapter (requires headset)	Compatible with PMLN8265, PMLN8266, and PMLN8267.	PMLN8297

Carry accessories

Image	Name	Description	Part Code
	Classic holster	Designed with audio tunneling technology	PMLN8914

Holster attachment options

Image	Name	Description	Part Code
	Klick Fast 38mmm Belt Dock	Allows for mounting on belts up to 38mm in width	GMDN0497
	Klick Fast Retro Fitting Garment	Equipped with easy screw-to-fit dock	WALN4307
	Klick Fast leather Belt Loop	Allows for mounting on belts up to 50mm in width.	GMDN0566
	Klick Fast Sew-On dock	For mounting on uniforms, body armour.	GMDN0386
	Klick Fast Clamp Dock Belt Clip	For mounting on uniforms, belts	GMDN0512A

Improved audio performance even in the holster

A classic belt holster typically blocks the phone's external speaker which causes a significant decrease in audio quality making it difficult to properly hear. When the LEX L30 is holstered the outgoing audio is funneled more effectively in the direction of your ear making it easier to hear.



Battery

Image	Description	Part Code
	IMPRES™ 2 Batteries	PMNN4906A

Technical specifications

Capacity (Typical)	4950 mAh
IP Rating	IP68
Availability	In-box/aftermarket

Charging accessories

Image	Description	Part Code
	Desktop Dual Unit Charger Kit for LEX L30 and its spare battery charging. Complete kit includes: DUC base, Wall adapter and USB-C cable	
	EU	PMPN5065A
	UK	PMPN5067A
	Brazil	PMPN5066A
	Australia	PMPN5068A

Technical specifications

DUC base Dimensions	126 mm (L) x 102 mm (W) x 70 mm (H)
Weight (Base only)	382g +/-5g
Intrinsically Safe	No
Compliance	EMC, WEEE, RoHs
Intelligent	IMPRES™ 2
Charge Time (Until 100%)	Device only: 2.5 hours Battery only: 4.5 hours Device and Battery: 7 hours
Operating Temperature	0°C to +50°C (+32°F to +122°F)
IP Rating	N/A

Charging accessories

Image	Description	Part Code
	Desktop Multi-Unit Charger for simultaneous charging of LEX L30 devices or batteries Complete kit includes: MUC base, Power supply and Power cord.	
	EU	PMPN4918A
	UK	PMPN4917A
	Brazil	PMPN4919A
	Australia	PMPN4920A

Technical specifications

MUC base Dimensions	445 mm (L) x 262 mm (W) x 141 mm (H)
Weight (Total Kit)	4 kg
Intrinsically Safe	No
Compliance	EMC, WEEE, RoHs
Intelligent	IMPRES™ 2
Charge Time (Until 100%)	Device Pocket: Up to 5 hours Battery Pocket: Up to 3 hours
Operating Temperature	0°C to +50°C (+32°F to +122°F)
IP Rating	N/A

Charging accessories

Image	Name	Description	Part Code
	Vehicle charging adapter	18W, USB-C PD3.0	PMLN7779

Image	Name	Description	Part Code
	USB-C to USB-C cable	Fully featured, USB-C to USB-C cable	CB001372A01

Image	Name	Description	Part Code
	Wall charging adapter	45W, USB-C PD3.0 PPS	
		EU	PS000649A02
		UK	PS000649A03
		Brazil	PS000649A08
		AU	PS000649A04

Learn more at
motorolasolutions.com/LEXL30

MOTOROLA SOLUTIONS

Motorola Solutions, Inc. 500 West Monroe Street, Chicago, IL 60661 U.S.A. motorolasolutions.com

Availability is subject to individual country law and regulations. All specifications shown are typical unless otherwise stated and are subject to change without notice. MOTOROLA, MOTO, MOTOROLA SOLUTIONS and the Stylized M Logo are trademarks or registered trademarks of Motorola Trademark Holdings, LLC and are used under license. All other trademarks are the property of their respective owners.
© 2026 Motorola Solutions, Inc. All rights reserved. 06-2026 [HP01]